3		Search Text	DBs	Time Stamp	Com r ment Defi s niti		Erro
segm	segm	segment\$5 with merg\$3 with covariance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 08:27			
36 (reg	gen jör jör jör jör j	(region\$1 segment\$1 area\$1 block\$1 section\$1) with (merg\$3 combin\$5 join\$3) with covariance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:00		0	
19 (sec	se. join	(segment\$5 partition\$3 cluster\$3 classif\$7) with (merg\$3 combin\$5 join\$3) with covariance	uspat; us-pgpub; Epo; Jpo; derwent; Ibm_tdb	2004/07/14 18:06		0	
se (se joir	se joji	(segment\$5 partition\$3 cluster\$3 classif\$7) same (merg\$3 combin\$5 join\$3) same covariance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:06		0	
30 (se joi	S ig	(segment\$5 partition\$3 cluster\$3 classif\$7) same ((merg\$3 combin\$5 join\$3) with covariance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:07		0	
24 (s) joi	<u> </u>	((segment\$5 partition\$3 cluster\$3 classif\$7) same ((merg\$3 combin\$5 join\$3) with covariance)) and @ad<=20010803	uspat; us-pgpub; Epo; jpo; derwent; Ibm_tdb	2004/07/14 18:07		0	
60 im	.⊑	image with colo\$1r with range with motion	uspat; us-pgpub; Epo; Jpo; derwent; Ibm_tdb	2004/07/14 18:55		0	
51 (ir	<u>.</u>	(image with colo\$1r with range with motion) and @ad<=20010803	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:54		0	
43	ط ( <u>(</u>	with range 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:54		0	
73 (ii	: <del>:</del> = E	(image with colo\$1r with motion) same (segment partition cluster classif merg combin join)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:56		0	
ان 88 88	<u> </u>	((image with colo≴1r with motion) same (segment partition cluster classif merg combin join)) and @ad<=20000804	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 18:57		0	
1155 ( <sup>n</sup>	ھ ڪ	(region near3 (grow\$3 merg\$3 cluster\$3 join\$3)) with (stop\$4 terminat≴3 halt≴3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:42		0	. <u>.</u>
<u> </u>	と こ	(region adj1 (grow\$3 merg\$3)) with ((stop\$4 terminat\$3 halt\$3) adj1 (criter\$2 condition\$1))	uspat; us-pgpub; Epo; jpo; derwent; Ibm_tdb	2004/07/15 11:03		0	

Defi rs niti on	0	0	0	0	0	o	0	0	0	0	0	0	0
Com r ment Defi s niti on													
Time Stamp	2004/07/15 11:06	2004/07/15 11:56	2004/07/15 14:48	2004/07/15 14:07	2004/07/15 14:20	2004/07/15 14:17	2004/07/15 14:17	2004/07/15 14:21	2004/07/15 14:21	2004/07/15 14:22	2004/07/15 14:40	2004/07/15 14:42	2004/07/15 15:46
DBs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; TPM TDP
Search Text	(region\$1 near3 merg\$3) with ((stop\$4 terminat\$3 halt\$3) near3 (criter\$2 condition\$1))	((region\$1 segment\$1 area\$1 block\$1) near3 (merg\$3 combin\$5 join\$3   group\$3 cluster\$3)) with ((stop\$4 terminat\$3 halt\$3) near3 (criter\$2   condition\$1))	ector\$1)	(segmen\$5 partition\$3)same (((feature\$1 componen\$1) near3 (vector\$1) with (linear\$2 near3 (model fit\$4)))	(segment\$5 partition\$3) same ((feature\$1 component\$1 vector\$1) with (linear\$2 near3 (model fit\$4)))	(segment\$5 partition\$3) same ((feature\$1 component\$1 vector\$1) with (linear\$2 near3 (interpola\$31 fit\$4)))	(segment\$5 partition\$3) same ((feature\$1 component\$1 vector\$1) with <sup>(</sup>  inear\$2 with (interpola\$3! fit\$4))	((feature\$1 component\$1 vector\$1) with (linear\$2 near3 (model fit\$4)))	(((feature\$1 component\$1 vector\$1) with (linear\$2 near3 (model [fit\$4)))) and segmentation	((((feature\$1 component\$1 vector\$1) with (linear\$2 near3 (model fit\$4)))) and segmentation) and @ad<=20000804	linear\$2 with (fit\$4 model) with parameter\$1 with confidence	linear\$2 with fit\$4 with confidence	। linear\$2 with fit≴4 with (residu\$3 error\$1)
Hits	3	26	н	7	31	7	25	972	7	<b>\$</b>	-	39	538
Туре	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS
	14	15	16	17	18	19	70	21	22	23	24	25	56

07/20/2004, EAST Version: 1.4.1

													·
Erro	0	0	0	0	0	0	0	0	0	0	0	0	0
Erra r Defi niti												,	
Com r ment Defi s niti													
Time	2004/07/15 14:43	2004/07/15 14:46	2004/07/15 14:47	2004/07/15 14:49	2004/07/15 14:49	2004/07/15 15:47	2004/07/15 15:47	2004/07/15 15:47	2004/07/15 15:48	2004/07/16 08:29	2004/07/16 12:40	2004/07/16 12:40	2004/07/16 12:40
DBs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	uspat; us-pgpub; Epo; jpo; derwent; Ibm_tdb	uspat; us-pgpub; Epo; jpo; derwent; Ibm_tdb
Search Text	(linear\$2 with fit\$4) same confidence	((linear\$2 with fit\$4) same confidence) and @ad<=20000804	((linear\$2 with fit\$4) same confidence) and @ad<=20010803>=20000804	(segment\$5 partition\$3) with (linear\$2 near3 (model fit\$4))	((segment\$5 partition\$3) with (linear\$2 near3 (model fit\$4))) and confidence	79639 7 7	USPAT; US-PGPUB; (linear\$2 with fit\$4 with (residu\$3 error\$1)) and (segment\$5 partition\$3) EPO; JPO; DERWENT	(382/162, 164, 171, 173, 176-180,191,225-228.ccls.) and ((linear\$2 with fit\$4 with (residu\$3 error\$1)) and (segment\$5 partition\$3))	((382/162, 164, 171, 173, 176-180,191,225-228.ccls.) and ((linear\$2 with fit\$4 with (residu\$3 error\$1)) and (segment\$5 partition\$3))) and @ad<=20010803	ion\$3) same ( merg\$3 with (cost metric criteri\$3 (monoton\$5 increas\$3 decreas\$3))	((error\$1 residu\$3) near3 covariance)	((error\$1 residu\$3) adj1 covariance)	(((error\$1 residu\$3) adj1 covariance) ) and segmentation
Hits	143	77	25	213	25	79639 7	219	85	56	6	776	529	32
Туре	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS
	27	28	29	30	31	32	33	34	35	36	37	38	39

## 07/20/2004, EAST Version: 1.4.1

	Туре	Type Hits	Search Text	DBs	Time	Com r ment Defi rs s niti rs	Erro r Defi niti on	Erro
6	40 BRS 10	10		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:40			0
14	41 BRS 24	24	segmentation an	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 14:34			0
42	42 BRS 11	: :	(segment\$5 partition\$3) same "error covariance"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 14:35			0